

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|-------|--|---|------------------|---------|------------------|
| S25 | 2179 | (fabric near2 devices) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/12/10 11:43 |
| S26 | 140 | (fabric near2 devices) same node | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/12/10 11:43 |
| S27 | 0 | (fabric near2 devices) same node same onlin | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/12/10 11:43 |
| S28 | 8 | (fabric near2 devices) same node same online | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/12/10 11:46 |
| S29 | 38573 | 707/10 or 707/100 or 709/203 or 709/223 or 709/220 or 709/2237 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/12/10 11:47 |
| S30 | 4 | S29 and ((fabric near2 devices) same (create near2 node)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/12/10 11:48 |
| S31 | 8 | ((fabric near2 devices) same (create near2 node)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/12/10 11:48 |
| S32 | 4 | S29 and ((fabric near2 devices) same (online)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/12/10 11:48 |

EAST Search History

| | | | | | | |
|-----|-----|--|---|----|-----|------------------|
| S33 | 4 | S29 and ((fabric near2 devices) same (offline)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/12/10 11:48 |
| S34 | 3 | ((fabric near2 devices) same (offline)). ab. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/12/10 11:48 |
| S35 | 0 | ((fabric near2 devices) same (offline)). ti. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/12/10 11:49 |
| S36 | 1 | ((fabric near2 devices) same (offline)). clm. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/12/10 11:49 |
| S37 | 476 | ((fabric near2 devices)) and SAN | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/12/10 11:49 |
| S38 | 0 | ((fabric near2 devices)) and SAN and ((create near2 node) same (offline)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/12/10 11:49 |
| S39 | 1 | ((fabric near2 devices)) and SAN and ((create near2 node) same (online)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/12/10 11:50 |
| S40 | 1 | ((fabric near2 devices)) and((create near2 node) same (online)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/12/10 12:09 |

EAST Search History

| | | | | | | |
|-----|------|--|---|----|-----|------------------|
| S41 | 3271 | S29 and (storage near2 network) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/12/10 12:09 |
| S42 | 24 | S29 and (storage near2 network) and (device with (no near2 available)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/12/10 12:10 |
| S43 | 2 | S29 and (storage near2 network) and (device with (no near2 available)) and (create near2 (icon or node)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/12/10 12:10 |
| S44 | 0 | S29 and (storage near2 network) and (device with (no near2 available)) and (create near2 (icon or node)) same onlin | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/12/10 12:10 |
| S45 | 0 | S29 and (storage near2 network) and (device with (no near2 available)) and (create near2 (icon or node)) same online | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/12/10 12:10 |
| S46 | 1 | (storage near2 network) and (device with (no near2 available)) and (create near2 (icon or node)) same online | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/12/10 12:10 |
| S47 | 5 | (storage near2 network) and (device with (no near2 available)) and (create near2 (icon or node)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/12/10 12:10 |
| S48 | 824 | (LUN same network) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/12/10 12:11 |

EAST Search History

| | | | | | | |
|-----|-----|--|---|----|-----|------------------|
| S49 | 362 | (LUNs same network) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/12/10 12:11 |
| S50 | 2 | (LUNs same network) and S49 and ((operating near2 system) same (fabric near2 devices)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/12/11 07:11 |

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

fabric devices and creating device node not already online

Search

[Advanced Search](#)
[Preferences](#)The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)**Web** Results 1 - 10 of about 221,000 for **fabric devices and creating device node not already online** . (0.33 seconds)**Appendix (Guide to Creating and Configuring a Server Cluster under ...**

When a SCSI RESET is issued, a lot of time is spent resetting **devices** that may **not** need to be reset, such as disks that the **CHALLENGER node** may **already** own. ...
 technet2.microsoft.com/WindowsServer/en/Library/938b0872-479e-467c-952b-d688da83f0831033.mspix - 40k - [Cached](#) - [Similar pages](#)

Deploying Server Clusters in a SAN Environment

With Windows 2000, the storage area network **fabric** itself is **not** on the HCL and is **not** ...
Nodes (and indeed storage **devices**) can leave or enter the SAN ...
 technet2.microsoft.com/WindowsServer/en/library/0997f844-730c-47e2-bb2c-41123e8b3bf41033.mspix - 27k - [Cached](#) - [Similar pages](#)

Device centric discovery and configuration for fabric devices ...

If a **node** is **already** created for a selected **fabric device**, it may **not** be ... are discovered and brought **online** by **creating** operating system **device nodes** for ...
 www.freepatentsonline.com/6965951.html - 78k - [Cached](#) - [Similar pages](#)

Fabric device configuration interface for onlining fabric devices ...

requesting a **fabric** driver to **create** an operating system **node** for each identified **fabric device not already online** whose desired configuration status is ...
 www.freepatentsonline.com/6920491.html - 99k - [Cached](#) - [Similar pages](#)

Configuration overview

Endpoint **devices** are **devices** discovered by the **Fabric Manager** but cannot be ... **device** is missing or discovered, a peripheral entity to **node** association is ...
 publib.boulder.ibm.com/.../v4r1/topic/com.ibm.tpc_V313.doc/
 fqz0_r_configuration_utility_overview.html - 17k - [Cached](#) - [Similar pages](#)

IBM TotalStorage Productivity Center for Fabric: User's Guide ...

A name server returns only **devices** that are **online** and in the same zone as the ... zones **already** defined, **Fabric Manager** preserves them and does **not** modify ...
 publib.boulder.ibm.com/infocenter/tivihelp/
 v4r1/topic/com.ibm.itpc_fabric.doc/btacgd2132.htm - 30k - [Cached](#) - [Similar pages](#)
 [[More results from publib.boulder.ibm.com](#)]

SOCcentral: Structured ASICs and Platform FPGAs: Part 2 ...

In the **not-so-distant** past, when a new silicon chip technology **node** came **online**, ... As opposed to **creating** and purveying actual Structured ASIC **devices**, ...
 www.soccentral.com/results.asp?CategoryID=488&EntryID=19401 - 45k - [Cached](#) - [Similar pages](#)

Print Services-CDC Scenario Build Guidance

With the SAN administrator, verify on the SAN storage **devices** that the LUNs have ... If the computer has **not already** joined its appropriate Active Directory ...
 www.microsoft.com/technet/itsolutions/wssra/raguide/FileandPrintServices/igfbpg_7.mspix - 49k - [Cached](#) - [Similar pages](#)

Network Services WINS-CDC Scenario Build Guidance

With the SAN administrator, verify on the SAN storage **devices** that the LUNs have ...
 However, if the computers associated with this service have **not already** ...
 www.microsoft.com/technet/itsolutions/wssra/raguide/NetworkServices/ignsbg_11.mspix - 43k - [Cached](#) - [Similar pages](#)
 [[More results from www.microsoft.com](#)]

Cisco MDS 9000 Family **Fabric** Manager Configuration Guide, Release ...

When auto-learning is enabled, learning happens only for the **devices** or interfaces that were **not already** logged into the switch. Learned entries on a port ...

www.cisco.com/en/US/products/ps5989/

[products_configuration_guide_chapter09186a0080662d3c.html](http://www.cisco.com/en/US/products/ps5989/products_configuration_guide_chapter09186a0080662d3c.html) - 143k -

[Cached](#) - [Similar pages](#)

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **[Next](#)**

Try [Google Desktop](#): search your computer as easily as you search the web.

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google



Welcome United States Patent and Trademark Office

Search Results[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)

Results for "(fabric devices<in>metadata)"

Your search matched 1 of 1436749 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.[e-mail](#) [printer friendly](#)» [Search Options](#)[View Session History](#)[New Search](#)**Modify Search****Search** ☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract» [Key](#)

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

view selected items[Select All](#) [Deselect All](#)

- ☐ 1. **Dependability evaluation of transient fault effects in reconfigurable compute fabric devices**
Sterpone, L.; Violante, M.;
[On-Line Testing Symposium, 2006. IOLTS 2006. 12th IEEE International](#)
10-12 July 2006 Page(s):2 pp.
Digital Object Identifier 10.1109/IOLTS.2006.20
[AbstractPlus](#) | Full Text: [PDF\(208 KB\)](#) IEEE CNF
[Rights and Permissions](#)

Indexed by
 Inspec[Help](#) [Contact Us](#) [Privacy & Security](#) [IEEE.org](#)

© Copyright 2006 IEEE – All Rights Reserved



Welcome United States Patent and Trademark Office

[Search Results](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)

Results for "(offline <and> online<in>metadata) <and> devices"

Your search matched 524 of 1436749 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

[e-mail](#) [printer friendly](#)

» Search Options

[View Session History](#)[New Search](#)

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

Modify Search

(offline <and> online<in>metadata) <and> devices

[Search](#) ☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract[view selected items](#)[Select All](#) [Deselect All](#)View: [1-25](#) | [26-50](#) | [51-75](#) | [76-100](#)

- ☐ 1. **Non-linear in an online world**
Hardman, B.;
[Broadcasting Convention, International \(Conf. Publ. No. 428\)](#)
12-16 Sept. 1996 Page(s):94 - 99
[AbstractPlus](#) | Full Text: [PDF\(500 KB\)](#) IEE CNF
- ☐ 2. **Experiences with online partial discharge diagnoses on turbogenerators**
Pascoli, G.; Kral, C.; Pirker, F.; Pokorny, N.;
[Diagnostics for Electric Machines, Power Electronics and Drives, 2003. SDEMPED 2003. 4th IEEE International Symposium on](#)
24-26 Aug. 2003 Page(s):20 - 24
[AbstractPlus](#) | Full Text: [PDF\(478 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 3. **Online current testing**
Jien-Chung Lo;
[Design & Test of Computers, IEEE](#)
Volume 15, Issue 4, Oct.-Dec. 1998 Page(s):49 - 56
Digital Object Identifier 10.1109/54.735927
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(104 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ 4. **EEDS/spl I.bar/NR: an online energy-efficient I/O device scheduling algorithm for hard real-time systems with non-preemptible resources**
Hui Cheng; Goddard, S.;
[Real-Time Systems, 2006. 18th Euromicro Conference on](#)
5-7 July 2006 Page(s):10 pp.
Digital Object Identifier 10.1109/ECRTS.2006.9
[AbstractPlus](#) | Full Text: [PDF\(440 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 5. **Testing of differential cascade voltage switch (DCVS) circuits**
Kanopoulos, N.; Vasanthavada, N.;
[Solid-State Circuits, IEEE Journal of](#)
Volume 25, Issue 3, Jun 1990 Page(s):806 - 813
Digital Object Identifier 10.1109/4.102679
[AbstractPlus](#) | Full Text: [PDF\(628 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ 6. **Online handwritten script recognition**
Nambodiri, A.M.; Jain, A.K.;

Pattern Analysis and Machine Intelligence, IEEE Transactions on
Volume 26, Issue 1, Jan 2004 Page(s):124 - 130
Digital Object Identifier 10.1109/TPAMI.2004.1261096
[AbstractPlus](#) | Full Text: [PDF\(1530 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ 7. **A fuzzy embedded agent-based approach for realizing ambient intelligence in intelligent inhabited environments**
Doctor, F.; Hagra, H.; Callaghan, V.;
Systems, Man and Cybernetics, Part A, IEEE Transactions on
Volume 35, Issue 1, Jan. 2005 Page(s):55 - 65
Digital Object Identifier 10.1109/TSMCA.2004.838488
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(2008 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ 8. **E-business models in the online music sector - a survey of 10 European countries**
Krueger, C.; Swatman, P.M.C.; van der Beek, K.;
Web Delivering of Music, 2004. WEDELMUSIC 2004. Proceedings of the Fourth International Conference on
2004 Page(s):156 - 165
Digital Object Identifier 10.1109/WDM.2004.1358113
[AbstractPlus](#) | Full Text: [PDF\(301 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ 9. **Online dynamic security assessment in an EMS**
Ejebe, G.C.; Jing, C.; Waight, J.G.; Vittal, V.; Pieper, G.; Jamshidian, F.; Hirsch, P.; Sobajic, D.;
Computer Applications in Power, IEEE
Volume 11, Issue 1, Jan. 1998 Page(s):43 - 47
Digital Object Identifier 10.1109/67.648499
[AbstractPlus](#) | Full Text: [PDF\(1584 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ 10. **MaSSIVE: the Mass Storage System IV Enterprise**
Sloan, J.L.; O'Lear, B.T.; Kitts, D.L.; Irwin, B.L.;
Proceedings of the IEEE
Volume 81, Issue 4, April 1993 Page(s):621 - 630
Digital Object Identifier 10.1109/5.219346
[AbstractPlus](#) | Full Text: [PDF\(932 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ 11. **'Online recognition of Chinese characters: the state-of-the-art**
Liu, C.-L.; Jaeger, S.; Nakagawa, M.;
Pattern Analysis and Machine Intelligence, IEEE Transactions on
Volume 26, Issue 2, Feb 2004 Page(s):198 - 213
Digital Object Identifier 10.1109/TPAMI.2004.1262182
[AbstractPlus](#) | Full Text: [PDF\(1193 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ 12. **Sensitive online PD-measurements of onsite oil/paper-insulated devices by means of optimized acoustic emission techniques (AET)**
Grossmann, E.; Feser, K.;
Power Delivery, IEEE Transactions on
Volume 20, Issue 1, Jan 2005 Page(s):158 - 162
Digital Object Identifier 10.1109/TPWRD.2004.835288
[AbstractPlus](#) | Full Text: [PDF\(1440 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ 13. **Dynamic power management for nonstationary service requests**
Eui-Young Chung; Benini, L.; Bogliolo, A.; Yung-Hsiang Lu; De Micheli, G.;
Computers, IEEE Transactions on
Volume 51, Issue 11, Nov. 2002 Page(s):1345 - 1361
Digital Object Identifier 10.1109/TC.2002.1047758
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(804 KB\)](#) IEEE JNL

[Rights and Permissions](#)

- ☐ **14. Online testing approach for very deep-submicron ICs**
Favalli, M.; Metra, C.;
[Design & Test of Computers, IEEE](#)
Volume 19, Issue 2, March-April 2002 Page(s):16 - 23
Digital Object Identifier 10.1109/54.990438
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(245 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ **15. Stereo geometry from 3D ego-motion streams**
Dornaika, F.; Chung, C.R.;
[Systems, Man and Cybernetics, Part B, IEEE Transactions on](#)
Volume 33, Issue 2, April 2003 Page(s):308 - 323
Digital Object Identifier 10.1109/TSMCB.2002.805698
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(1165 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ **16. Operating systems for reconfigurable embedded platforms: online scheduling of real-time tasks**
Steiger, C.; Walder, H.; Platzner, M.;
[Computers, IEEE Transactions on](#)
Volume 53, Issue 11, Nov. 2004 Page(s):1393 - 1407
Digital Object Identifier 10.1109/TC.2004.99
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(1016 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ **17. Online-offline laser ultrasonic quality inspection tool for multilayer ceramic capacitors - part II**
Erdahl, D.S.; Ume, I.C.;
[Advanced Packaging, IEEE Transactions on \[see also Components, Packaging and Manufacturing Technology, Part B: Advanced Packaging, IEEE Transactions on\]](#)
Volume 28, Issue 2, May 2005 Page(s):264 - 272
Digital Object Identifier 10.1109/TADVP.2005.846934
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(952 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ **18. Implementation of a real-time expert system for a restoration guide in a dispatching center**
Hotta, K.; Nomura, H.; Takemoto, H.; Suzuki, K.; Nakamura, S.; Fukui, S.;
[Power Industry Computer Application Conference, 1989. PICA '89, Conference Papers](#)
1-5 May 1989 Page(s):172 - 178
Digital Object Identifier 10.1109/PICA.1989.38992
[AbstractPlus](#) | Full Text: [PDF\(512 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **19. An adaptive neural network identifier for effective control of a static compensator connected to a power system**
Mohagheghi, S.; Jung-Wook Park; Harley, R.G.; Venayagamoorthy, G.K.; Crow, M.L.;
[Neural Networks, 2003. Proceedings of the International Joint Conference on](#)
Volume 4, 20-24 July 2003 Page(s):2964 - 2969 vol.4
Digital Object Identifier 10.1109/IJCNN.2003.1224042
[AbstractPlus](#) | Full Text: [PDF\(376 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **20. Dynamic speed scaling to manage energy and temperature**
Bansal, N.; Kimbrel, T.; Pruhs, K.;
[Foundations of Computer Science, 2004. Proceedings. 45th Annual IEEE Symposium on](#)
17-19 Oct. 2004 Page(s):520 - 529
Digital Object Identifier 10.1109/FOCS.2004.24
[AbstractPlus](#) | Full Text: [PDF\(360 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **21. Power-aware storage cache management**
Zhu, Q.; Zhou, Y.;
[Computers, IEEE Transactions on](#)
Volume 54, Issue 5, May 2005 Page(s):587 - 602
Digital Object Identifier 10.1109/TC.2005.82
[AbstractPlus](#) | [Full Text: PDF\(1056 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ **22. Power system security assessment**
Morison, K.; Lei Wang; Kundur, P.;
[Power and Energy Magazine, IEEE](#)
Volume 2, Issue 5, Sept.-Oct. 2004 Page(s):30 - 39
Digital Object Identifier 10.1109/MPAE.2004.1338120
[AbstractPlus](#) | [Full Text: PDF\(5037 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ **23. Power systems stability control: reinforcement learning framework**
Ernst, D.; Glavic, M.; Wehenkel, L.;
[Power Systems, IEEE Transactions on](#)
Volume 19, Issue 1, Feb. 2004 Page(s):427 - 435
Digital Object Identifier 10.1109/TPWRS.2003.821457
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(320 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ **24. Implementation of a real-time expert system for a restoration guide in a dispatching center**
Hotta, K.; Nomura, H.; Takemoto, H.; Suzuki, K.; Nakamura, S.; Fukui, S.;
[Power Systems, IEEE Transactions on](#)
Volume 5, Issue 3, Aug. 1990 Page(s):1032 - 1038
Digital Object Identifier 10.1109/59.65935
[AbstractPlus](#) | [Full Text: PDF\(516 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ **25. The state of the art in online handwriting recognition**
Tappert, C.C.; Suen, C.Y.; Wakahara, T.;
[Pattern Analysis and Machine Intelligence, IEEE Transactions on](#)
Volume 12, Issue 8, Aug. 1990 Page(s):787 - 808
Digital Object Identifier 10.1109/34.57669
[AbstractPlus](#) | [Full Text: PDF\(2220 KB\)](#) IEEE JNL
[Rights and Permissions](#)

[View: 1-25](#) | [26-50](#) | [51-75](#) | [76-100](#)

[Help](#) [Contact Us](#) [Privacy & Security](#) [IEEE.org](#)

© Copyright 2006 IEEE – All Rights Reserved